
VICTORIAN ENTOMOLOGIST

VOL. 34 No. 1

FEBRUARY 2004

Print Post Approved PP 349018/00058

Price: \$ 3.00



News Bulletin of The Entomological Society of Victoria Inc.

THE ENTOMOLOGICAL SOCIETY OF VICTORIA (Inc)

MEMBERSHIP

Any person with an interest in entomology shall be eligible for Ordinary membership. Members of the Society include professional, amateur and student entomologists, all of whom receive the Society's News Bulletin, the Victorian Entomologist.

OBJECTIVES

The aims of the Society are:

- (a) to stimulate the scientific study and discussion of all aspects of entomology.
- (b) to gather, disseminate and record knowledge of all identifiable Australian insect species,
- (c) to compile a comprehensive list of all Victorian insect species.
- (d) to bring together in a congenial but scientific atmosphere all persons interested in entomology.

MEETINGS

The Society's meetings are held at Melbourne Museum, downstairs at Infozone, Carlton, Melbourne: Melway reference Map 2B J10 at 8 p.m. on the third Friday of even months, with the possible exception of the December meeting which may be held earlier. Lectures by guest speakers or members are a feature of many meetings at which there is ample opportunity for informal discussion between members with similar interests. Forums are also conducted by members on their own particular interest so that others may participate in discussions. Tea and coffee facilities available at club meetings.

SUBSCRIPTIONS

Ordinary Member \$20.00 (overseas members \$22)

Country Member \$16.00 (Over 100 km from GPO Melbourne)

Student Member \$12.00

Associate Member \$5.00 (No News Bulletin)

Associate Members, resident at the same address as, and being immediate relatives of an ordinary Member, do not automatically receive the Society's publications but in all other respects rank as ordinary Members.

Cover design by Alan Hyman.

Cover illustration: The pale Sun Moth, *Synemon selene* Klug, is an endangered species restricted to perennial grassland dominated by *Austrodanthonia* in Western Victoria. It is now extinct in SA, and was presumed extinct in Vic. until its rediscovery, in February 1991, by the late Frank Noelker and Fabian Douglas. The Victorian Populations are parthenogenetic with all specimens comprising females, a most unusual trait in the Castniidae. Illustration by Michael F. Braby.

MINUTES OF THE GENERAL MEETING, 12th DECEMBER 2003

Meeting opened 8.05 pm.

Present: K. Dunn, B. Johnson, R MeMahon, P. Marriot, D. Stewart, R. Vagi, K. Walker, G. Weeks

Apologies: 1. Endersby, J. Tinetti

Minutes: Minutes of the last meeting were accepted.

M: P. Carwardine, S: P. Marriot

Treasurer's Report:

Account balances are: General account: \$6316 Le Souël account: \$3905

\$ 20.00 donation to the Scout Association for use of facilities at Gilwell Park.

Editor's report:

The Victorian Entomologist Bulletin has published its first colour plates in the December 2003 edition. It is hoped that more may follow, but would mean higher costs to the society.

General business:

- Talk for February 2004 meeting will be Insect Behaviour, presented by I. Endersby.
- K. Dunn suggested that members might like to supply and present miscellaneous insect images to fill spaces in any luture general meetings.

Speakers:

K. Dunn showed film of the Island of Yap showing customs, people and, in particular, the butterflies of the island. P. Marriot showed slide of Tiger Moths – Lepidoptera: Arctiidae. R. McMahon showed slides of various insects from Woodlands Historic Park (near Melbourne Airport), the Plenty Valley and the Lara – Mt. Rothwell area (near the You Yangs).

Meeting closed 9.40 pm.

No council meeting was held for January 2004.


Kelvyn Dunn gave a 30 minute video presentation and talk of the butterflies of Yap Proper, an island of relative traditional culture in the Federated States of Micronesia, and renowned for its giant stone money. Kelvyn reported at least 14 butterfly species flying during his wet season visit in July 2003. Of these, 11 were 'captured' on video, photographed in agroforest, wastelands and mangrove ecotone.

Females of a common swallowtail, *Papilio polytes* were shown inspecting and ovipositing on *Citrus* in dense agroforest. The female swallowtails were male-like (female form 'cyrus') similar to those seen on Guam, but unlike those of the same species seen previously in SE Asia, which show marked sexual dimorphism. Swallowtail males fed at mud soaks, and snakeweed (*Stachytarpheta*) bordering village roads. Males of *Catopsilia pyrauthe* were shown seeking shade beneath leaves during very hot weather. Close-ups of feeding adults included *Danaus plexippus*, *D. affinis, Hypolinnas bolina*, and *Junonia orithya* - all of which were abundant near Chamorro Bay, Colonia. Other behaviors depicted included a twilight, territorial altercation of *Melanitis leda*, basking *Euchrysops cnejus* and *Appias ada*, a *Eurema ?hecabe* sheltering after a brief cloudburst, and mating pairs of *Zizina otis*. Other insects shown included a common red

dragonfly and a grasshopper - Kelvyn remarked on the general lack of singing insects evident in the forests of this atoll compared to mainland Asia and Australia.

Six frames from the Yap video:

Figure 1. Danaus affins male feeding in swampy agroforest-mangrove ecotone (Balabaat 5/7/03 at 1700h YAPT); Figure 2. Hypolimnas bolina female - the usual female form seen in Yap, (Chamorro Bay 4/7/03 at 1730h YAPT); Figure 3 & 4 Junonia orithya: (Chamorro Bay 4/7/03) a male basking (1650h YAPT) and a female perched (1720h YAPT); Figures 5 & 6 giant stone money and Kelvyn at Balabaat village (9/7/03).



Records of longhorned beetles (Colcoptera: Ceramhycidae) and associated insects reared from Eucalyptus spp. in Tasmania.

R. Bashford

Forestry Tasmania dick.bashford@forestrytas.com.au

Introduction.

During the winter months, over a period of several years, sets of *Eucalyptus spp*. trees were felled, set up on stumps, and left in position for colonisation by timber insects over the spring /summer months. Following colonisation the logs were cut into billets and placed in cages within an outdoor insectary for subsequent emergence. Logs from a total of fifteen *Eucalyptus* species were utilised and twenty-one species of long horned beetles emerged. Associated predators, parasitoids and other wood-borer insects are also recorded.

Collection sites and Methods.

Trees and sites were selected on an opportunistic basis during other project work around Tasmania. Fifteen, species of *Eucalyptus* were used from eight sites (Table 1). Trees up to 40-cm diameter (DBHOB) were cut in later winter with crowns retained, and the butt placed on the stump to prevent waterlogging of the bole. Logs were left over the spring and summer months for attack by timber insects. In late winter the trees were cut into two-metre long billets, transferred to Hobart, and individual logs placed in wire mesh cages in an outside insectary. Three billets were taken from each tree. Cages were checked for emergence on a weekly basis over a two-year period following billet collection. Emerging specimens were mounted and incorporated into the Tasmanian Forest Insect Collection.

Results.

A total of 135 billets from 45 trees were held in the insectary for emergence of colonising insects over a period of five years. Table 2 lists the species of timber insects and associates emerging from each *Eucalyptus* species. All species of enealypt except *E. coccifera* had at least one emergent cerambycid species. The parasite and predator complex is similar to that associated with *Epithora dorsalis* (Bashford 1994) but most of these species appear to be absent at high altitude or high rainfall sites in north west Tasmania.

Table 1: Number of trees of each Eucalyptus species from each site in Tasmania.

Site	Map reference	Euc	alypti	us sp	ecies											
		E.obliqua	E. amygdalina	E. dalrympleana	E.viminalis	E. ovata	E. sieheri	E.pulchella	E. delegatensis	E.tenniramis	E. globulus	E. nitida	E. coccifera	E. regnans	E.nitens	E. johnsonii
Woodsdale	42"29'S 147"34'E	2	2		3	1					1_					
Bicheno	41°38'S 148°14'E	1	1				2				1					
Arthur River	41°10'S 144"54'E	1										2				
Arve Valley	43"08'S 146"45'E	1											2	2	2	
Maydena	42°45'S 146°37'E								1							2
Mount Connection	42"02'S 147"46'E			1_	2			3	1_1_	1_1						
Tooms Lake	42°14'S 147°48'E	2	1	ı				1		.1_						
Tower Hill	41"32'S 147"55'E	, i			1	1	1									
	Total trees	8	4	2	6	2	3	4	2	2	2_	2	2	2	2	2

Table 2: Records of Tasmanian ecrambyeids and associates reared from Eucalyptus species.

Insect species	Family Euealypt host															
		E. obliqua	E. amygdalina	E. dahympleana	E. viminalis	E. ovata	E. sieberi	E. pulchella	E. delegatenvis	E. tenniramis	E. globulus	E. nitida	E. coccifera	E. regnans	E. nitens	Е. јоћпзоніі
WOODBORERS																
Aphneope quadrimaculator Poll	Cerambycidae											×				
Atesta tasmanica Gahan	Cerambycidac	x			х					х						×
Callidiopis scutellaris (Fabricius)	Cerambycidae	x	x		_х_		Х_	×	х	X				_		
Coptocercus rubripes (Boisduval)	Cerambycidae	x	×	×	×	×	×	×	х	×	х_				<u> </u>	<u> </u>
Epithora dorsalis (Macleay)	Cerambycidae	Х_	х	×	X	х	X	×	×	×	х	ļ		\vdash		
Hesthesis cingulata (Kirby)	Cerambycidae	Х	<u> </u>							х	×	-	<u> </u>	_		
Homaemota walkeri Gahan	Cerambycidae								х		ļ	<u> </u>		<u> </u>		_
Phacodes obscurus (Fabricius)	Ccrambycidae		<u> </u>		_						X			 —	Х	-
Phoracantha mastersi Pascoe	Cerambycidae	x	-	-	Х_		<u> </u>			_	×			⊢	├—	-
Phoracantha superans (Pascoe)	Cerambycidae		_		х		_	-	_			├—				_
Phyletaenodes pustulosus Newman	Cerambycidac	_	×					-						 	-	_
Pytheus TFIC sp 01	Cerambycidae	Х	_					X		_	_	-	-		X	-
Scolecobrotus westwoodi Hope	Cerambycidae	_	-										-	-		
Stenocentrus suturalis (Olivier)	Cerambycidae	X			X			1				-				
Tessaromma sericans (Erichson)	Cerambycidae	X	X	Х	X	X	X	×	X	X	x	\vdash	-	-	-	
Tessaromma undatum Newman	Cerambyeidae	Х	Х	X	×	×	×	×	×	X	X	├—	\vdash	\vdash	-	-
Toxeutes arcuatus (Fabricius)	Cerambycidae	Х	-	<u> </u>	-	X	X	-	-	\vdash	├	-	\vdash	╀	X	-
Tragocerus spencei Hope	Cerambycidae		X	₩		_	<u> </u>	-	_	-	-	├	₩	├─	├	
Uracanthus maleficus Lea	Cerambycidae		-	<u> </u>	X	_	_	├—		_	<u> </u>	-	\vdash	X	X	
Zoedia v-album (Boisduval)	Cerambycidae		 	 	 	_	-	 	_ ×_	-	<u> </u>	 	├—	├	 —	
Zygocera canosa (Erichson)	Cerambycidae	х	X	-	-	-	-	-	-	-	-	-	-	-	-	
Pentamimus rhyncholiformis Wollaston	Cossoninae	×		x							×		x			
Platypus subgranosus Schedl	Platypodinae										×					
Platypus tuberculosus Lea	Platypodinae		1			×										
Xylion collaris (Erichson)	Bostrichidae	x	×	×	×		×	×	×	×	×					
Xyloborus saxeseni (Ratzeburg)	Scolytinae	×					1	1						\Box		
Xyloborus truncatus (Erichson)	Scolytinae									х						
Xylobosca bispinosa (Macleay)	Bostrichidae	х	×		x			x	_	×	<u> </u>				-	-
PREDATORS							_	+			-	1	\vdash	+		\vdash
Agrypnus pictipennis (Candeze)	Elateridae	x		1			1			\vdash						
Agryptus sp.	Elateridae	^	×	1	1	1	\top		1	\vdash	\top			\top	1	1
Blackburniella hilaris (Westwood)	Cleridae	х	1		x	1		1	1	1	1		1	1	1	1
Cylindrus nigrinus White	Cleridae	×	+	1	×		1	1		x	1	1		1	†	
	Bothrideridae	-		+-	1^	1	+	×	×	1^	+	-	1	†	+	\vdash
Deretaphrus piceus Germar	+	X		-	1	1	-	1	1		1		-	+	+	+
Eunatalis porcatus (Fabricius)	Cleridae	X	X	X	X	X	X	X	X	X	X	+-	-	+-	+-	+
Lepidopteryx decorata (Erichson)	Trogossidae	х	-		-				-	-				-	-	-
epidopteryx moniliata (Blackburn)	Trogossidae	X								-		1		-	-	1
Cenerus abbreviatus White	Clcridae	x	X		X	X	x	X	x	×	х	_	-	1		-
Toorongus jugulatus (Candeze)	Elateridac		-	-	-	-	-	-	-	-	-	+-	-	+	+	-
DIPTERA		-	+-	+-	-	-	+-	-	-	-	-	-	+-	+		+-
Platytainia maculata Macquart	Tachinidac	×	1	x	x	X	1	×	x	1	1	1	1		1	1

PARASITOIDS														
Austrohelcon australianus (Kokujew)	Braconidae				x									
Doryctes sp.	Braconidae	х	_ x		×							 		
Gen Indet. Doryctinae	Braconidae	×	x_	х	x	х		x	×	×	x	 		
Gen nr. Dorycetes	Braconidae	×	х	×	×				х					
Gen nr. Dorycetes sp 2	Braconidae	х	×	х	×			х			х			
Megalyra rufipes Erichson	Megalyridae	×	×											
Syngaster lepidus Brulle	Braconidae	х	х	х	х	х	х	х		х				
Syngaster rubricepsis (Shenefelt)	Braconidae	×	х	×	х	l	х	х	х	×	х			
Syngaster sp 2	Braconidae	×	х	х			Х	х			х			
Trichiohelcon phoracanthae (Froggatt)	Braconidae	х	х		x			x			x			
Austroheleon australianus (Kokujew)	Braconidae				×									

Discussion.

Two species of cerambycid reared in this study were also reared from Acacia dealbata billets in previous work using the same techniques. Bashford (1997) reared Aphneope quadrimaculator and Tessaronuma undatum from Acacia dealbata billets. Stenocentrus suturalis has been reared from Pittosporum bicolor in north west Tasmania and Zygocera cauosa from Acacia melanoxylon and Pinus radiata (Bashford 1990). The other cerambycid species in this study seem to be confined to Eucalyptus hosts.

References.

Bashford, R. 1990.Tasmanian forest insects and their host plants: Records from the Tasmanian Forestry Commission Insect Collection. Pgs 1-32. Forestry Commission, Tasmania.

Bashford, R. 1994. Life history and mortality of the longicom *Epithora dorsalis* Maeleay (Coleoptera: Cerambycidae) in Tasmania. Australian Entomologist 21(4): 125-136.

Bashford, R. 1997. Records of insects associated with *Acacia dealbata Link*, in Tasmania. Australian Entomologist 24(3): 109-115.

The ENTOMOLOGICAL SOCIETY OF VICTORIA Inc.



EXCURSION TO GEMBROOK No. 2

DATE: Saturday 28th and Sunday 29th February 2004. TIME: From 10 am Saturday until Sunday afternoon.

PLACE: Gilwell Park Seout Camp.

This is a follow-up of the October excursion to sample at a different time of the year.

Please Note: Collected specimens are to be used to make a voucher collection for retention at the Scout Park

Gilwell Park is on the Gembrook - Launching Place Road, 5.2 km north of Gembrook (enr of Main Street). Refer Melway maps 312 and 299 E1. It can also be reached via Launching Place on the Warburton Highway. Melway 287 F6. The entrance is on the left about 1.2 km after the end of the scaled road, labelled Gate No 4, Messmate Drive (opposite Gate 9). We will be staying at The Lodge.


There are a small number of 2 bed bunk huts available and there are eamping facilities. There is a kitchen (complete with cooking utensils, china & cutlery), showers and toilets. Bring your own food, drink, linen & blankets or sleeping bag. This excursion is meant as a night collecting excursion, however if you can only stay Saturday afternoon and evening, or Sunday morning, you will be welcome. Electric power is available, however if you have suitable collecting lights, please bring them with extension leads and other night collecting equipment.

If you intend to stay overnight, please book with Peter Carwardine 9571 8958 by Tuesday 24/2/04, leave name, number in party, and phone number. He can give information on purchasing UV lamps, if required. Reference to 'Sugaring' can be found on page 72 of *Vic. Ent.* vol 33 (5) October 2003.

The following images are from the November 2003 excursion to Gilwell Park Scout Camp.



Collecting at the U.V. light (Photo: David Stewart)





lan Endersby identifying aquatics (Photo: David Stewart)

Mole Crickets

Terry Houston

Terry Houston, Senior Curator, Entomology, W.A. Museum. Terry.Houston@museum.wa.gov.au

Have you been noticing any mole crickets lately that seem to be new to your area? If so, I'd be interested to communicate with you. Here's why: Over recent years, two species of mole crickets have been making their presence felt in Perth suburbia and some regional centres. Home-owners report the sudden appearance of numbers of the insects in their gardens and sometimes in their houses and swimming pools. The insects tunnel in their lawns, invade plant pots, or attract attention by their singing by dusk (many people mistaking the songs for frog calls). These two species are absent from older collections and are not known to occur in bushlands. Hence, I suspect that they are introduced from elsewhere – "but from where?" is the question. I have tentatively identified one I call the 'shiny black' species as *Gryllotalpa pluvialis* (Figure 1). This is a Queensland species and is present in suburbs of Brisbane. The second species I have denoted as 'matt brown', may be *G. australis* (Figure 2) from south-eastern Australia. I can provide digital images of these 'nuisance' species if you are interested to see what they look like. If anyone could send me specimens from their gardens in Melbourne or other population centre in Victoria, I would be most grateful.



Figure 1: Gryllotalpa pluvialis



Figure 2: Gryllotalpa australis?

Australia Journal of Entomology Volume 42 (4) 2003

The Australian Entomological Society publishes the Anstralian Journal of Entomology quarterly. The Entomological Society of Victoria is an affiliated society and publishes the contents of the Journal for the wider interest of its members.

SYSTEMATICS

- M Biondi & P D'Alessandro: Revision of the *Pepila fuscomaculata* species-group and description of four new species from Australia (Coleoptera: Chrysomelidae: Alticinae).
- LG Cook: Apiomorpha gullanae sp. n., an unusual new species of gall-inducing scale insect (Hemiptera: Eriocoecidae).
- OD Seeman & IIF Nahrung: *Parobia Intsbandi* gen. n., sp. n. (Acari: Podapolipidae): subelytral parasites of paropsine beetles (Colcoptera: Chrysomelidae).

ECOLOGY

- MFA Jallow & MP Zalucki: Relationship between oviposition preference and offspring performance in Australian *Ilelicoverpa armigera* (Hübner) (Lepidoptera: Noetuidae)
- S Mansfield, N Elias & JG Lytton-Hitchins: Ants as egg predators of *Helicaverpa armigera* (Hübner) (Lepidoptera: Noctuidae)in Australian cotton crops.
- AA Canzano, RE Jones & JE Seymonr: Diapause termination in two species of. tropical butterfly, Euploea core (Cramer) and Euploea sylvester (Fabricius) (Lepidoptera: Nymphalidae).
- M Gissel Nielsen, K Christian & D Birkmose: Carbon dioxide concentrations in the nests of the mud-dwelling mangrove ant *Polyrhachis sokolova* Forel (Hymenoptera: Formieidae).

BEHAVIOUR

- KL Anderson, JE Seymour & R Rowe: Influence of. a dorsal trash-package on interactions between larvae of *Mollada signata* (Schneider) (Neuroptera: Chrysopidae).
- LB Ollivier, F Bonaccorso, M Aloysins & M Kasiki: Flight movement of *Scapanes australis australis* (Boisduval) (Coleoptera: Searabaeidae: Dynastinae) in Papua New Guinea: a radiotelemetry study.

PLANT RESISTANCE

AT Simmons, GM Gurr, D McGrath, III Nicol & PM Martin: Trichomes of Lycopersicon spp. and their effect on Myzus persicae (Sulzer) (Hemiptera: Aphididae).

THESIS SUMMARY

KEC Brennan: The successional response of spider communities following the multiple disturbances of mining and burning in Western Australian Jarrah forest.

AUTHOR INDEX TO VOLUME 33 (2003) OF THE VICTORIAN ENTOMOLOGIST

Compiled by R. McMahon

	rage
Carwardine, P. Sugaring for Moths	72
Carwardine, P. Report of Excursion to Gilwell Scout Camp Gembrook	101
Douglas, F, & Marriott, P. Some Notes on Sun -Moths, Lepidoptera: Castniidae	90
Douglas, F. Sun-moths Lepidoptera: Castniidae – A Reference Resource	96
Dunn, K.L. Aspects of mating behavior of <i>Taractrocera ina</i> Waterhouse (Lepidoptera: Hesperiidae: Hesperiinae) in Queensland	4
Dunn, K.L. Courtship refusal in <i>Toxidia doubledayi</i> (Felder) (Lepidoptera: Hesperiidae: Trapezitinae)	23
Dunn, K.L. Same Sex Courtship of Zizina otis (Fabricius) in Luzon, Philippines (Lepidoptera: Lycaenidae: Polyommatinae)	42
Dunn, K.L. Oviposition Behavior in <i>Suastus gremius</i> (Fabricius) in Vict Nam, with discussion of <i>Suastus</i> (Lepidoptera: Hesperiidae: Hesperiinae) in Singapore	74
Dunn, K.L. Notes courtship refusal in Signeta flammeata (Bulter) (Lepidoptera: Hesperiidae: Trapezitinae)	99
Endersby, I. Action Plan for Victorian Butterflies	18
Grund, R. Further Feeding Experiments with <i>Erina(Candalides) hyacinthina simplexa</i> (Tepper) (Lepidoptera: Lycaenidae)	9
Grund, R. & Hunt, L. The Search for <i>Argynnina cyrila</i> (Satyrinae), **Paralucia aurifera (Lyeaenidae) and *Pasma tasmanica* (Hesperiidae) in Southwest Victoria and Southeast South Australia.	15
Grund, R. A Note on the First Instar Larva of Ogyris idmo Halmatura Tepper (Lepidoptera: Lyeaenidae)	71
Haywood, B.T. Some New Butterfly Observations for the Lower Southeast Region of South Australia.	50
Haywood, B.T. Garden Observations of <i>Taractrocera Papyria</i> (Hesperiidae) (Including Coupling) in the Lower South East Region of South Australia	56
Holmes, D. A Man who Loved Nature	52
Hunt, L. Butterflies of Kangaroo Island	82
Kellehear, A. The 2003 Presidential Address The Entomological Society of Victoria. The past five years and the next five years	36

Marriott, P. Victorian Sun-moths Lepidoptera: Castniidae – photos & captions	91
Newland, G. Literature Review, Urban Areas and Butterfly Conservation	60
Riddland, P. Painted Apple Moth (<i>Teia anartoides</i>) – Biocontrol Project for New Zealand	22
Book Review, Dragonflies of Victoria: an identification guide to adult and larval dragonflies (Odonata).	11
Book Review, Conservation of Birdwing Butterflies (Reviewed by T.D. Edwards)	30
Book Review, Victorian Butterflies; and How to Collect Them (Reviewed by T.D. Edwards)	66
Book Review, Mimika Butterflies (Reviewed by T.D. Edwards)	67
Editorial (D. Dobrosak)	31



UNITED NATIONS ASSOCIATION OF AUSTRALIA

WORLD ENVIRONMENT DAY AWARDS 2004

'Think Global, Act Local'

NOMINATE NOW

The Awards aim to recognise businesses, community groups, individuals, local governments, students and the media whose work serves to protect, manage or restore the environment.

The Major Award Categories are

Excellence in Marine and Coastal Management - Best company, community or individual that has demonstrated excellence in the conservation and management of marine, coastal or estuarine environments.

Excellence in Water Management - Best company, community or individual that has demonstrated excellence in the conservation, recycling and use of water, in either rural or urban regions.

Triple Bottom Line Award – for the best environmental, social and commercial best practice program for business.

Business Enterprise Awards Category - for the best specific environmental initiative; and the environmental best practice program.

Community / Individual Awards Category - for the best community based environmental project or initiative; and the special award for outstanding service to the environment.

Local Government Awards Category - for excellence in overall environmental management; best specific environmental initiative.

Education / School Award Category - for the best school based project exploring environmental themes or issues.

Media Awards for Environmental Reporting - for the best print submission; the best radio segment; and the best television segment, which has been published, broadcast or telecast in Australia.

Nominations close 5pm, Wednesday 12th May 2004.

The complete guidelines, entry criteria and nomination form can be found at the UNAA website

www.unaavictoria.com.au

Or telephone (03) 9482 3655, fax (03) 9482 5118, email UNAA.VIC@bigpond.com

OFFICE BEARERS

PRESIDENT: David Stewart P.O. Box 2152, Rosebud Plaza, 3939.

ph. 0419 875 977 stewa27@hotmail.com

VICE PRESIDENT: Peter Marriott 8 Adam Street, Bentleigh, ph. 9557 7756 (All)

HON SECRETARY: Jan Tinetti, 138 Noone Street, Clifton Hill, 3068, ph. 9486-2865 (Atl)
HON TREASURER: Jan Endersby, 56 Looker Road, Montmoreney 3094, ph. 9435-4781 (All)

HON EDITOR: Ray McMahon, P.O. Box 549, Tullamarine, Vic. 3043.

rtmcmahon@students.latrobe.edu.au

EXCURSIONS SEC: Peter Carwardine, 5/154 Grange Road, Carnegie 3163.

ph. 9571 8958 (A11)

PUBLIC OFFICER: Ian Endersby, 56 Looker Road, Montmorency 3094. ph. 9435 4781 (All)

IMMEDIATE PAST PRESIDENT: Dr Allan Kellehear, "Sunnybank", Glenluce

R.S.D. Castlemaine 3451

WEBMASTER: Daniel Dobrosak, 66 Wiltonvale Avenue, Hoppers Crossing, 3029

ph 8635 7431 (BH) ph 9749 1476 (AH), suturalis@yahoo.com

COUNCILLORS: Dr. Ken Walker.

CONTRIBUTIONS TO THE VICTORIAN ENTOMOLOGIST

The Society welcomes contributions of articles, papers or notes pertaining to any aspect of entomology for publication in this Bulletin. Contributions are not restricted to members but are invited from all who have an interest. Material submitted should be responsible and original. The Editor reserves the right to have articles refereed. Statements and opinions expressed are the responsibility of the respective authors and do not necessarily reflect the policies of the Society.

Items printed must not be reproduced without the consent of the author and Council of the Entomological Society of Victoria Inc.

Contributions may be typed on A4 paper or *preferably* sent to the Hon, editor on an **IBM formatted** disk in *Microsoft Word for Windows, WordPerfect* or any recognised word processor software with an enclosed hard copy. Contributions may also be E-mailed to Internet address: rtmcmahon/a students.latrobe.edu.au

The deadline for each issue is the third Friday of each odd month.

The Society's Home Page on the World Wide Web is located at:

http://www.vicnet.net.au/~vicento/

ADVERTISING

The charge for advertising is \$5.00 per half page.

The Victorian Entomologist is printed at Kinko's, 204 Wells St South Melbourne, Victoria, 3205.

CONTENTS

	Page
Minutes of General Meeting, 12 December 2003	1
Bashford, R., Records of longhorned beetles (Coleoptera: Cerambycidae) and associated insects reared from <i>Eucalyptus spp</i> . in Tasmania.	3
Notice of Excursion to Gembrook No. 2	6
Houston, T., Mole Crickets	8
Contents of Australia Journal of Entomology Volume 42 (4) 2003	9
Author index to Volume 33 (2003) of the Victorian Entomologist	10
World Environment Day Awards	12

DIARY OF COMING EVENTS

Friday 20 February General Meeting at Melbourne Museum

I. Endersby will present a talk on Insect Behaviour

D. Stewart and P. Marriot may discuss Parasitism of the Vine Moth: *Phalaenoides glycine* (time allowing)

Sat & Sun 28 - 29 February Club Excursion to Gembrook

Friday 19 March 6:30 Council Meeting

Scientific names contained in this document are *not* intended for permanent scientific record, and are not published for the purposes of nomenclature within the meaning of the *International Code of Zoological Nomenclature*, Article 8(b). Contributions may be referred, and authors alone are responsible for the views expressed.

ISSN 0310 - 6780

SNOTO